

Apr 1st, 11:00 AM - 2:00 PM

Effects of Smoking vs. Nicotine Replacement Therapy During Pregnancy on Childhood Health Outcomes: An Integrative Literature Review

Andrew J. McBride

Cedarville University, amcbride@cedarville.edu

Kristen P. Sabo

Cedarville University, ksabo@cedarville.edu

Emily D. Williams

Cedarville University, ewilliams270@cedarville.edu

Follow this and additional works at: http://digitalcommons.cedarville.edu/research_scholarship_symposium

 Part of the [Female Urogenital Diseases and Pregnancy Complications Commons](#), [Maternal and Child Health Commons](#), and the [Maternal, Child Health and Neonatal Nursing Commons](#)

McBride, Andrew J.; Sabo, Kristen P.; and Williams, Emily D., "Effects of Smoking vs. Nicotine Replacement Therapy During Pregnancy on Childhood Health Outcomes: An Integrative Literature Review" (2015). *The Research and Scholarship Symposium*. 36. http://digitalcommons.cedarville.edu/research_scholarship_symposium/2015/poster_presentations/36

This Poster is brought to you for free and open access by DigitalCommons@Cedarville, a service of the Centennial Library. It has been accepted for inclusion in The Research and Scholarship Symposium by an authorized administrator of DigitalCommons@Cedarville. For more information, please contact digitalcommons@cedarville.edu.

Effects of Smoking vs. NRT During Pregnancy

Andrew J. McBride, Kristen P. Sabo & Emily D. Williams
Cedarville University School of Nursing

PATIENT CARE ISSUE

- Cost for neonatal complications estimated >\$350 million annually (NC DHHS, 2013).
- Approximately 10.6% of women smoke while they are pregnant (NC DHHS, 2013).
- Smoking during pregnancy can lead to premature, low birth-weight infants, or stillbirth.
- Carbon monoxide and nicotine cross the placenta and interfere with fetal oxygen supply (NIH National Institute on Drug Abuse, 2014).
- Complications due to maternal smoking include Sudden Infant Death Syndrome, growth retardation, poor lung development, obesity, and respiratory infections (CDC, 2011).

EVIDENCE-BASED PRACTICE QUESTION

Question: In pregnant women, does the use of Nicotine Replacement Therapy compared to smoking during pregnancy reduce the risk of future childhood health concerns?

P- Pregnant women

I- Nicotine Replacement Therapy (NRT)

C- Smoking

O- Reduce the risk of future childhood health concerns (respiratory complications, obesity)

REGISTERED NURSE INTERVIEW

Labor and Delivery CRN

- NRT is often used improperly by pregnant mothers.
- Fetal heart rate increases after maternal nicotine use.

NICU CRN

- Nicotine addiction in pregnant mothers can lead to nicotine addiction in neonates.
- Mothers using nicotine often give birth to neonates who are small for gestational age, low in birth weight, and have prolonged, increased heart rate.

METHODS

Key Words: pregnancy, maternal smoking, nicotine replacement therapy, nicotine, childhood health concerns, childhood obesity

Databases: Alt HealthWatch, AMED, CINAHL, Medline

Inclusion Criteria: Articles published between 2008 and 2014, articles that focused on the fetal and future childhood concerns of NRT use and smoking use during pregnancy

Exclusion Criteria: Non-human test population, year of publication prior to 2008, small sample size


SYNTHESIS OF EVIDENCE

- Smoking leads to increased chance of preterm birth & low birth weight (LBW) (CDC, 2011).
- Childhood obesity is linked to smoking during pregnancy (Behl, 2013; Bekkers, 2011; Ino, 2010, Weng, 2012).
- NRT delivers nicotine without carcinogens (Oncken, 2008; Brose, 2013).
- NRT showed positive safety outcomes but low adherence (Coleman, 2010).
- Infants born to NRT using mothers had 2x the risk of having LBW (Gaither, 2008)
- Infants born to smokers had 1.31x the risk of LBW (Gaither, 2008).
- Combination NRT increases cessation but exposes fetus to higher nicotine levels (Brose, 2013).
- Smoking cessation should be targeted at one year prior to pregnancy (Wang, 2012).

RESULTS


Database	Results
Alt HealthWatch	1
AMED	2
CINAHL	855
Medline	82

Level Of Evidence



Number of Articles Included

EVIDENCE-BASED PRACTICE RECOMMENDATIONS



LIMITATIONS

- Limited studies of primary evidence within the past 5 years
- Limited studies analyzing direct effects of NRT on the fetus.
- Few studies examining longevity effects of NRT on the offspring.

REFERENCES

- Behl, M., Rao, D., Aagaard, K., Davidson, T. L., Levin, E. D., Slotkin, T. A., Srinivasan, S., Wallinga, D., Holloway A.C. (2013). Evaluation of the Association between Maternal Smoking, Childhood Obesity, and Metabolic Disorders: A A National Toxicology Program Workshop Review. *Environmental Health Perspectives* 121(2), 170- 180. doi:10.1289/ehp.1205404
- Bekkers, M. B. M., Brunekreef, B., Smit, H. A., Kerkhof, M., Koppelman, G. H., Oldenwening, M., & Wijga, A. H., (2011). Early-Life Determinants of Total and HDL Cholesterol Concentrations in 8-Year-Old Children; The PIAMA Birth Cohort Study. *Public Library of Science*, 6(9), e25533. doi: 10.1371/journal.pone.0025533
- Brose, L., McEwen, A., West, R. (2013). Association between nicotine replacement therapy use in pregnancy and smoking cessation. *Drug and Alcohol Dependence Journal*, 132, 660- 664. DOI: 10.1016/j.drugalcdep.2013.04.017
- Coleman, T., Chamberlain, C., Cooper, S., & Leondardi-Bee, J. (2010). Efficacy and safety of nicotine replacement therapy for smoking cessation in pregnancy: systematic review and meta-analysis. *Society for the Study of Addiction*, 106, 52-61. doi:10.1111/j.1360- 0443.2010.03179.x
- Cooper, S., Lewis, S., Thornton, J. G., Marlow, N., Watts, K., Britton, J., Grainge, M. J., Taggar, J., Coleman, T. (2014). The SNAP trial: a randomised placebo-controlled trial of nicotine replacement therapy in pregnancy – clinical effectiveness and safety until 2 years after delivery, with economic evaluation. *Health Technology Assessment* 18(54), vii- 128. doi: 10.3310/hta18540
- Fish, L. J., Peterson, B. L., Namemek Brouwer, R. J., Lyna, P., Oncken, C. A., Swamy, G. K., Myers, E. R., Pollak, K. N. (2009). Adherence to Nicotine Replacement Therapy Among Pregnant Smokers. *Nicotine & Tobacco Research*, 11(5), 514-518. doi:10.1093/ntr/ntp032
- Forinash, A. B., Pittlick, J. M., Clark, K., & Alstalt, V. (2010). Nicotine Replacement Therapy Effect on Pregnancy Outcomes. *The Annals of Pharmacotherapy*, 44(11), 1817- 1821. doi: 10.1345/aph.1P279
- Gaither, K., Brunner Huber, L., Thompson, M., Huet-Hudson, Y. (2008). Does the use of nicotine replacement therapy during pregnancy affect pregnancy outcomes? *Maternal and Child Health Journal*, 13, 497-504. doi:10.1007/s10995-008-0361-1
- N.C. infant mortality rate for 2012 released. (2013, October 3). NC DHHS Press Release., Retrieved October 28, 2014, from http://ncdhhs.gov/pressrel/2013/2013-10-03_NC_infant_mortality_rate.htm
- Ino, T. (2010). Maternal smoking during pregnancy and offspring obesity: meta-analysis. *Pediatrics International*, 52, 94-99. doi:10.1111/j.1442-200X.2009.02883.x
- Oncken, C., Dornelas, E., Greene, J., Sankey, H., Glasmann, A., Feinn, R., & Kranzler, H. R. (2008). Nicotine Gum for Pregnant Smokers: A Randomized Controlled Trial. *Obstetrics & Gynecology*, 112(4), 859-867. doi: 10.1097/AOG.0b013e318187e1ec
- Pregnancy and smoking. (2011, February 22). Centers for Disease Control and Prevention. Retrieved October 26, 2014, from http://www.cdc.gov/healthcommunication/toolstemplates/entertainmented/tips/pregnancy_smoking.html
- Smoking and pregnancy—what are the risks? (n.d.). *NIH National Institute on Drug Abuse*. Retrieved October 26, 2014, from http://www.drugabuse.gov/publications/research-reports/tobacco/smoking_pregnancy%E2%80%94what-are-risks
- Suzuki, K., Sato, M., Ando, D., Kondo, N., Yamagata, Z. (2013). Differences in the effect of maternal smoking during pregnancy for childhood overweight before and after 5 years of age. *The Journal of Obstetrics and Gynaecology Research*, 39(5), 914-921. doi:10.1111/jog.12025
- Titler, M. G., Kleiber, C., Steelman, V. J., Rakel, B. A., Budreau, G., Everett, L. Q., et.al. (2001). The Iowa model of evidence-based practice to promote quality care. *Critical Care Nursing Clinical of North America*, 13(4), 500.
- Wang, L., Mamudu, H. M., Wu, T. (2012). The impact of maternal prenatal smoking on the development of childhood overweight in school-aged children. *Pediatric Obesity*, 8, 178-188. doi:10.1111/j.2047-6310.2012.00103x
- Weng, S.F., Redsell, S.A., Swift, J.A., Yang, M., Glazebrook, C.P. (2012). Systematic review and meta-analyses of risk factors for childhood overweight identifiable during infancy. *Arch Dis Child*, 97, 1019-1026. doi: 10.1036/archdischild-2012-302263